


# TRENDY TILES

LONDON



ULTIMA VOLTA





floor shown ULTIMA VOLTA 60x60 BAHAMA GOLD





60x60 Bahama Gold



FINE PORCELAIN TILES

RECTIFIED

NATURAL AND LAPPATO FINISH

TRENDY TILES

LONDON

ULTIMA VOLTA

ARCTIC WHITE



Size 60x60 cm




Size 10x30 cm




Size 30x60 cm


Mosaics on net




Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

Arctic White natural finish code: UV-AW-N  
Arctic White lappato finish code: UV-AW-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed Trendy style.







FINE PORCELAIN TILES      RECTIFIED      NATURAL AND LAPPATO FINISH

# TRENDY TILES

L O N D O N


ULTIMA VOLTA  
BAHAMA GOLD



Size 60x60 cm




Size 10x30 cm




Size 30x60 cm


Mosaics on net




Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

Bahama Gold natural finish code: UV-BH-N  
Bahama Gold lappato finish code: UV-BH-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed Trendy style.








FINE PORCELAIN TILES      RECTIFIED      NATURAL AND LAPPATO FINISH

# TRENDY TILES

## LONDON

ULTIMA VOLTA

LONDON GREY



Size 60x60 cm




Size 10x30 cm




Size 30x60 cm


Mosaics on net




Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm



Random bricks

London Grey natural finish code: UV-LG-N  
London Grey lappato finish code: UV-LG-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed Trendy style.








FINE PORCELAIN TILES      RECTIFIED      NATURAL AND LAPPATO FINISH

# TRENDY TILES

L O N D O N

ULTIMA VOLTA  
BELUGA



Size 60x60 cm




Size 10x30 cm




Size 30x60 cm


Mosaics on net




Square 5x5 cm



Linear bricks 3x10 cm



Linear bricks 6x30 cm




Random bricks

Beluga natural finish code: UV-BL-N  
Beluga lappato finish code: UV-BL-LP

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed Trendy style.







# Packaging Details

Nominal values

|                                                                                   |          | CM            | KG       | BOXES | PCS/BOX | MQ/PALLET | KG/BOX |
|-----------------------------------------------------------------------------------|----------|---------------|----------|-------|---------|-----------|--------|
|  | 1 pallet | 10x30         | 900,00   | 48    | 30      | 43,20     | 18,00  |
|  | 1 pallet | 30x60         | 1.152,00 | 48    | 6       | 50,40     | 24,00  |
|  | 1 pallet | 60x60         | 1.020,00 | 40    | 3       | 43,20     | 25,50  |
|  | 1 pallet | 30x30 mosaics |          | 48    | 10      |           | 20,00  |

## Sizes

Nominal values

ESTIMATES effective sizes

|                               |                           |
|-------------------------------|---------------------------|
| 10x30 cm                      | 9,5x29,5 cm               |
| 30x60 cm                      | 29,5x59,5 cm              |
| 60x60 cm                      | 59,8x59,8 cm              |
| mosaics Square 5x5 cm mosaics | 4,7x4,7 cm                |
| Linear bricks 3x10 cm mosaics | 2,7x9,7 cm                |
| Linear bricks 6x30 cm mosaics | 5,95x29,5 cm              |
| Random                        | totally randomly produced |

## Specifications

Nominal values

| TECHNICAL DATA                           | STANDARD        | REQUIREMENT                     | COLLECTION VALUE |
|------------------------------------------|-----------------|---------------------------------|------------------|
| sides                                    | EN ISO 10545-2  | ± 0,6% max                      | conforms         |
| thickness                                | EN ISO 10545-2  | ± 5,0% max                      | conforms         |
| straightness of sides rectangularity     | EN ISO 10545-2  | ± 0,5% max                      | conforms         |
| surface flatness                         | EN ISO 10545-2  | ± 0,6% max                      | conforms         |
| water absorption                         | EN ISO 10545-2  | ± 0,5% max                      | conforms         |
| bending resistance                       | EN ISO 10545-3  | ≤ 0,5%                          | conforms         |
| abrasion resistance                      | EN ISO 10545-5  | ≥ 35 N/mm²                      | conforms         |
| coefficient of linear thermal-exp ansion | EN ISO 10545-6  | ≤ 175 mm³                       | conforms         |
| thermal shock resistance                 | EN ISO 10545-8  | available on request            | conforms         |
| frost resistance                         | EN ISO 10545-9  | no visible defects              | conforms         |
| chemical resistance                      | EN ISO 10545-12 | no visible defects or cracks no | conforms         |
| stains resistance                        | EN ISO 10545-13 | visible changes to surface no   | conforms         |
| slip resistance                          | EN ISO 10545-14 | permanent staining              | conforms         |
| slip resistance                          | ASTM            | wet +0,62 / dry +0,68 average   | conforms         |
|                                          | DCOF BOT 3000   | wet +0,43                       | conforms         |

Although we try to make the colours showed in this catalogue as close to real pieces as possible, they are reproduced as an indication only and they may differ from the real pieces since is impossible to get the same tone colour shade on printed paper.



**TRENDY TILES LTD**

[london@trendytiles.com](mailto:london@trendytiles.com) - [trendytiles.com](http://trendytiles.com)