

TRENDY TILES

LONDON




PUROSANGUE





TRENDY TILES

LONDON




Size 30x60 cm

PUROSANGUE
ARCTIC WHITE



Size 30x60 cm

PUROSANGUE
LONDON GREY



Size 30x60 cm


PUROSANGUE
BELUGA


ARCTIC WHITE NATURAL FINISH RECTIFIED: PS-AW-SC


LONDON GREY NATURAL FINISH RECTIFIED: PS-LG-SC

BELUGA NATURAL FINISH RECTIFIED: PS-BL-SC

Nominal values. Caliber and shades are intended to be nominal and may have a small variations. Unless high shade variations are part of the designed Trendy style.







Packaging Details

Nominal values

		CM	KG	BOXES	PCS/BOX	MQ/PALLET	KG/BOX
	1 pallet	30,01x60,04 RECTIFIED	920,00	40	6	43,20	25,00

Specifications

Nominal values

TECHNICAL DATA	REQUIREMENT	STANDARD	COLLECTION VALUE
sides	± 0,6% max	EN ISO 10545-2	conforms
thickness	± 5,0% max	EN ISO 10545-2	conforms
straightness of sides rectangularity	± 0,5% max	EN ISO 10545-2	conforms
surface flatness	± 0,6% max	EN ISO 10545-2	conforms
water absorption	± 0,5% max	EN ISO 10545-2	conforms
bending resistance	≤ 0,5%	EN ISO 10545-3	conforms
abrasion resistance	≥ 35 N/mm²	EN ISO 10545-5	conforms
coefficient of linear thermal-exp ansion	≤ 175 mm³	EN ISO 10545-6	conforms
thermal shock resistance	available on request	EN ISO 10545-8	conforms
frost resistance	no visible defects	EN ISO 10545-9	conforms
chemical resistance	no visible defects or cracks no	EN ISO 10545-12	conforms
stains resistance	visible changes to surface no	EN ISO 10545-13	conforms
slip resistance	permanent staining	EN ISO 10545-14	conforms
slip resistance	wet +0,62 / dry +0,68 average	ASTM	conforms
	wet +0,43	DCOF BOT 3000	conforms

Although we try to make the colours showed in this catalogue as close to real pieces as possible, they are reproduced as an indication only and they may differ from the real pieces since is impossible to get the same tone colour shade on printed paper.

